



APIWCLED/W

Pi LED CCT Wall/Ceiling - 2.5W Cool White/Warm White - White



Features

Modern surface mounted ultra-slim wall/ceiling light suitable for residential and hospitality applications

Die-cast aluminium construction with choice of white or graphite paint finish

Push fit loop-in loop-out terminals for ease of installation

Anti-glare toughened tempered opal glass front diffuser

CCT selectable between 3000K and 4000K

Screwless front cover with concealed allen key access provides security and a sleek design

Non-dimmable

General Information

Lamp Type	LED
Colour / Finish	White
IP Rating	IP65
IK Rating	IK06
Class Protection	1
Internal / External	Internal / External
Surface / Recessed / Suspended	Surface
Lifetime (Hrs)	L80 60,000
Warranty (Years)	3
CE Mark	Yes
Diameter (mm)	100
Depth (mm)	39

Technical Information

Wattage	2.5W
Lumens Delivered	150lm (4000K)
Lm/W	63lm (4000K)
Beam Angle	115
CRI	Ra 80
CCT	3000/4000K
Input	230V
Hertz	50Hz
Operating Temp	0°C to 25°C
SDCM	3

Datasheet generated from <https://onetimepim.com> last updated Wednesday, June 15, 2022 8:56:12 AM

